NOTES:

- FOR GRAVITY APPLICATIONS ONLY.
 ALL PROCEPTOR UNITS ARE MANUFACTURED WITH FIBERGLASS REINFORCED PLASTICS. PHYSICAL CHARACTERISTICS AND THICKNESS: POLYESTER RESIN AND E GLASS
- MINIMUM THICKNESS 1/4" WALL AND 3/8" TOP AND BOTTOM BOWLS. 3. ALL PROCEPTOR UNITS ARE TO BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURERS INSTALLATION INSTRUCTION.
- 4. STANDARD PIPING IS SCH. 40 PVC.
- 5. GMC/OMC 500 3000 UNITS COME STANDARD WITH 4" INLET AND
- OUTLET (OTHER PIPE SIZE OPTIONS AVAILABLE ON REQUEST).

 6. EXTENSION COLLAR TO BE ORDERED TO MEET FINISHED GRADE, 6. EXTENSION COLLAR TO BE ORDERED TO MEET FINISHED GRADE, CUT ON SITE FOR FINAL ADJUSTMENT AND CAULKED WITH SIKAFLEX BY CONTRACTOR FOR WATERTIGHT SEAL.

 7. COVERS AVAILABLE FOR HOZ TRAFFIC LOADING, PEDESTRIAN LOADING OR ABOVE GROUND INSTALLATION.

 8. CONSULT GREEN TURTLE FOR OTHER SIZES.

 9. 30 YEAR WARRANTY AGAINST LEAKS, AND STRUCTURAL FAILURE.


 10. U.S. PATENT #5,746,912; CDN PATENT #2,195,822





PROCEPTOR MODEL NUMBER: LIQUID CAPACITY (WORKING VOLUME): GMC 500 UPC 500 US GAL.

RATED FLOW: STD. MAX BURIAL DEPTH TO TOP OF TANK: 6 FT. MAX VERTICAL LOAD: MONTH/YEAR OF MANUFACTURE: 1133 PSF

DETAIL "A"








REV.

9

FOR UPC/IAPMO INSTALLATIONS

| TI | TLE: PROCEPTOR I | F.O.G. SEPARATOR | REV | DATE | DRAWN | | | |
|--|----------------------------|---|--------------------------|-------------------|------------|---------------|--------|----------------------------------|
| | MC 500 UPC | GALLON INTERCEPTOR INLET & OUTLET ACCESSWAY | 1 | JANUARY 2, 2007 | L. SIMKINS | | | Proceptor* |
| 4" | | | 2 | AUGUST 22, 2007 | L. SIMKINS | | _ | |
| 24 | | | 3 | MAY 21, 2008 | L. SIMKINS | 1 | | |
| П | ROJECT: | WO: | 4 | NOVEMBER 13, 2009 | L SIMKINS | | | |
| | | | 5 | APRIL 2, 2012 | L. SIMKINS | | | |
| | | | 6 | OCTOBER 01, 2012 | S. MANGAT | | | 7/ III |
| AVAILABLE OPTIONS (CHECKED IF REQUESTED) | | 7 | FEBRUARY 12, 2013 | S. MANGAT | 1 | | | |
| | OIL/GREASE SENSOR ALARM | | 8 | NOV. 11, 2014 | | 1 | - 1 | |
| | SUCTION PIPE FOR INDO | OOR INSTALLATION | 9 | MAY 15, 2017 | | | - | |
| | COALESCER (FOR OIL C | NLY)10ppm TREATMENT | 10 | 10, 2017 | | SIZE | DWG. | NO |
| | DOUBLE WALL CONSTRUCTION | | DD A MALDY, I. CINAVINIC | | | A GMC 500 UPC | | |
| 1.7 | ABOVE GROUND CONFIGURATION | | DRAWN BY: L. SIMKINS | | | _ | Oiv | 70 300 01 0 |
| 1 | | | DATE DRAWN: 6/15/04 | | | SCAL | F-1-30 | DO NOT SCALE DRAWING SHEET LOF 1 |



FOR UPC/IAPMO INSTALLATIONS APPROVED UNDER IAPMO / ANSI Z1001-2007 MEETS ASTM C-581