NOTES:

- 1. FOR GRAVITY APPLICATIONS ONLY.

 2. ALL PROCEPTOR UNITS ARE MANUFACTURED WITH FIBERGLASS REINFORCED PLASTICS. PHYSICAL CHARACTERISTICS AND THICKNESS: POLYESTER RESIN AND E GLASS MINIMUM THICKNESS 1/4" WALL AND 3/8" TOP AND BOTTOM BOWLS.

 3. ALL PROCEPTOR UNITS ARE TO BE INSTALLED IN ACCORDANCE WITH THE MANUFACTUREDER INSTALLED IN ACCORDANCE
- WITH THE MANUFACTURERS INSTALLATION INSTRUCTION.
- 4. STANDARD PIPING IS SCH. 40 PVC.
- 5. GMC/OMC 500 3000 UNITS COME STANDARD WITH 4" INLET AND
- OUTLET (OTHER PIPE SIZE OPTIONS AVAILABLE ON REQUEST).

 6. EXTENSION COLLAR TO BE ORDERED TO MEET FINISHED GRADE. CUT ON SITE FOR FINAL ADJUSTMENT AND CAULKED WITH SIKAFLEX BY CONTRACTOR FOR WATERTIGHT SEAL. 7. COVERS AVAILABLE FOR H20 TRAFFIC LOADING,
- PEDESTRIAN LOADING OR ABOVE GROUND INSTALLATION.
- 8. CONSULT GREEN TURTLE FOR OTHER SIZES.
 9. 30 YEAR WARRANTY AGAINST LEAKS, AND STRUCTURAL FAILURE.
- 10. U.S. PATENT #5,746,912; CDN PATENT #2,195,822

US PAT. # 5746912 *Proceptor®*

MANUFACTURER:

OMC 500 UPC PROCEPTOR MODEL NUMBER: LIQUID CAPACITY (WORKING VOLUME): 500 US GAL.


RATED FLOW: STD. MAX BURIAL DEPTH TO TOP OF TANKS MAX VERTICAL LOAD: MONTH/YEAR OF MANUFACTURE: 1133 PSF

DETAIL "A"


DETAIL "A"


LABEL INSIDE


AND OUTSIDE











SECTION A-A SCALE 1:35

FOR UPC/IAPMO INSTALLATIONS

MANUFACTURED IN COMPLIANCE WITH IAPMO PS 80-2008

	ITLE: PROCEPTOR SEPARATOR DMC 500 UPC GALLON INTERCEPTOR I" INLET & OUTLET 24" TRIPLE ACCESSWAY	1 2	DATE JULY 15, 2008 SEPTEMBER 15, 2009 NOVEMBER 17, 2009	L. SIMKINS	1	Proceptor®	
Ī	PROJECT: WO:	5	APRIL 3, 2012 FEBRUARY 14, 2013	L. SIMKINS S. MANGAT	k	by greenturtle®	
AVAILABLE OPTIONS (CHECKED IF REQUESTED)		7			1	S 877 428 8187 CAN 877 966 9444	
	OIL/GREASE SENSOR ALARM	8					
	SUCTION PIPE FOR INDOOR INSTALLATION	9			W	/ww.greenturtletech.com	
	ABOVE GROUND CONFIGURATION	10			SIZE	DWG. NO.	REV.
	OIL DRAW OFF PIPE TO CONNECT TO EXTERNAL OIL		AWN BY: 1. SIMKINS		A OMC 500 UPC		5
			DATE DRAWN: 9/10/6			LE:1:35 DO NOT SCALE DRAWING SHEET 1 OF 1	_