

# Zurn Finish Plumbing – New Products

Dan Danowski – Product Manager

August 2019

July 2019

A wide, powerful waterfall cascading over a rocky ledge, surrounded by rugged cliffs and a cloudy sky. The water is white and frothy as it falls, creating a sense of motion and power. The surrounding landscape is rocky and somewhat barren, with some sparse vegetation on the cliffs. The sky is overcast with soft, grey clouds.

# | agenda

## what you'll learn

01 past launches

- Sundara Hand Washing Systems
- Architectural Faucets & Soap Dispensers
- Faucets - EZ gear-driven Sensor Faucets

02 present launches

- Connected Faucets & Flush Valves
- Zurn One Systems - Relaunch

03 future launches

- Flush valves - EZ gear-driven sensor flush valves

04 resources





# Sundara Handwashing System

Behold the Balance of Brawn, Brains & Beauty

For architects who want to design modern commercial restrooms that deliver a superior user experience, we offer the Zurn Handwashing System. Crafted by world-class industrial designers, Zurn delivers superior form and function combining seamless countertop & basic designs with curated faucets and soap dispensers, delivering a complete solution that architects are proud to present to their customers.










# Sundara Handwashing System

## history



### launch

We introduced the Sundara Handwashing System at the 2017 American Institute of Architects' annual conference to thousands of architects, designers, and other professionals.

1

2

3

4

### research

We interviewed more than 150 architects for more than 10,000 hours to understand how to elevate the restroom experience by effectively combining style *and* substance.

### development

We hired industrial engineers to craft and unify seamless countertops, basins, faucets, and soap dispensers to offer powerful performance and high-minded design to users. After 26 trial prototypes, we finalized on the final five Sundara Handwashing Systems.


### support

As always, we provide premium service to supply your entire installation, from behind the wall rough-in, to finished trim products and fixture systems.





# overview

## industrial design & human factors



Niels Diffrient, Alvin R. Tilley; Henry Dreyfuss Associates; New York, New York





# how it works

## step-by-step

1

### **brawn**

Expect the highest durability in the industry for basins, carriers, and faucets.

2

### **brains**

Leverage Zurn One systems to streamline and simplify the delivery of all essential components (basin/faucet/soap dispenser/carrier) from one trusted source.

3

### **beauty**

3 basin configurations (single/double/triple)  
5 designs (Reef/Drift/Tide/Surf/Inlet)  
7 colors (white/snow/seashell/alluvium/sand storm/highcliffe/frost)  
5 faucet/soap dispenser choices  
(Serio/Fulmer/Nachi/Camaya/Cumberland)  
All to create your own unique customer experience.

**2:52 Video:**

[Zurn Sundara Handwashing System](#)



# features & benefits

## details



## | Sundara Handwashing System

Designed for modern commercial restrooms, the Sundara Handwashing System delivers a superior user experience in both form and function. Crafted by world-class industrial designers, Sundara combines seamless basin designs with curated faucets and soap dispensers, delivering a complete, easy to install handwashing solution.

## | distinct industrial design

- Sundara engineered scratch and stain resistant solid surface
- Ships complete from ASC
- 5 matched soap and faucet designs
- Paired ADA compliant shroud + optional carrier



# features & benefits

## distinct industrial design & sink sizes



Sundara Reef



The Sundara Reef lavatory offers a timeless design for commercial restrooms with a wide opening, gently sweeping basin and a broad back shelf for personal item storage. Z5001



Sundara Drift

Sundara Drift presents an organic design in a contemporary form with a sweeping basin and a soft transition to the integral backsplash. Paired with Zurn's new wall-mount sensor faucet and soap dispenser, Drift provides an exceptional design for high-end commercial environments. Z5003



Sundara Tide




Sundara Tide presents an organic design in a contemporary form with a sweeping basin and smoothly rounded corners. Paired with Zurn's new deck-mount sensor faucet and soap dispenser, Tide provides an exceptional design for educational environments. Z5006

single	double	triple
30" x 22"	60" x 22"	90" x 22"



Sundara Surf

Bold, yet effortless, Sundara Surf takes on the restroom design with sloping lines and a wide basin. It gives users personal space and operates with the wave of a hand. Pairs with our stainless steel shrouds to conceal the plumbing and complete the look. Z5004



Sundara Inlet


Fluid and flawless, Sundara Inlet is a conduit to style and substance. Water stays contained within the sweeping, deep-set basin for a pleasant user experience and easy maintenance. Z5005





# features & benefits

## colors



White



Snow



Sea Shell



Alluvium



Sand Storm



Highcliffe



Frost



# features & benefits

## architectural faucets & soap dispensers

### Finish Options



Chrome



Brushed Nickel



Z6950-XL-S Aqua-FIT Serio Series Sensor Faucet & Soap Dispenser

Functionality doesn't fall short on elevated style with Serio. Achieve high performance through a contemporary, low maintenance faucet. The streamlined look complements practically any environment without compromise. Available in multiple flow rates, finishes and power configurations.



Z6951-XL Aqua-FIT Fulmer Series Sensor Faucet & Soap Dispenser

Zurn's Fulmer Series offers a striking design that can fit multiple aesthetic environments, while ensuring long-term durability in commercial restrooms. Available in multiple finishes, flow rates and power configurations, Fulmer's customizability ensures that it can fit your project.



Z6957-XL Nachi Series Sensor Faucet & Soap Dispenser

The Nachi sensor faucet offers a sleek, contemporary design that pairs with the Sundara Drift for a beautiful, low-maintenance aesthetic that would be the envy of any building owner. The four available finishes allow you to put your personal touch on the space while the concealed sensor maintains the minimalist design.



Z6953-XL Camaya Series Sensor Faucet & Soap Dispenser

Stand out from standard. From clean lines to an even cleaner environment, Camaya makes a minimalist move seem like a grand gesture. With its hygienic hands-free operation, it checks all of the boxes for a sophisticated restroom environment. Available multiple finishes, accessories and flow rates..



Z6956-XL Cumberland Series Sensor Faucet & Soap Dispenser

Timeless really can impress. Cumberland adds elegance without an expiration date on its aesthetics. Its smooth curves and seamless body make it easy to clean, enhancing the appeal. Available in multiple finishes, accessories and flow rates.





# features & benefits

## manual faucet options



**Hospitality Applications**  
Z81000-XL AquaSpec Single Lever  
4" Centerset Faucet



**Healthcare Applications**  
Z811B4-XL 4" Integral Spout &  
Z812B4-XL 4" Gooseneck AquaSpec Faucets



**Education Applications**  
Z86100-XL Single Metering &  
Z86500-XL 4" Centerset Metering Faucets



**Recreation & Wellness Applications**  
Z81101-XL AquaSpec 4" Centerset with Lever Handles



**Manual Soap Dispenser**  
Z86100-SD



# features & benefits

## secure & protective shroud

### Sundara Stainless Steel Shrouds

Sundara shrouds secure and beautify all the utilities under the sink while providing an ADA (Americans with Disabilities Act) compliant experience for users with disabilities.

Hinged mechanism allows easy access for maintenance staff to refill soap dispensers by simply loosening a bolt on each side.

Brushed stainless steel construction





# features & benefits


## strong and stable EZ carriers

### durable carriers from a single-source manufacturer

Zurn's EZ carriers are built to last. They provide **unmatched strength and stability** for proven performance that's head and shoulders above traditional carriers.

Many handwashing systems combine parts and pieces for various manufacturers which may not work perfectly together. With Sundara, Zurn's parts are consistent, and peace of mind is a constant.

Zurn has made Sundara's **installation adaptable to almost any application**. Whether it's a new construction or a retrofit, the process is simple and straightforward to **reduce labor and ensure consistent performance**. We are the **only manufacturer to offer a carrier system for solid surface** – the same carrier used for our other fixtures, including the -WL option for installation in narrow chases.







# how to specify step-by-step

Z5006.03.03.7LN

- 1 model  
Reef, Drift, Tide, Surf, or Inlet designs
- 2 basin quantity  
Single, double, or triple
- 3 basin color  
7 color choices
- 4 faucet & soap style  
Faucet styles (0-15+)  
Soap dispenser & location (R, L, N)  
Surface finish selection (C, N)





# design & specify

## Sundara handwashing system



SUNDARA HANDWASHING SYSTEM	Z5001 Sundara Reef Handwashing System	Z5003 Sundara Drift Handwashing System	Z5006 Sundara Tide Handwashing System
Basin Quantity	Single   Double   Triple Solid Surface Sinks	Single   Double   Triple Solid Surface Sinks	Single   Double   Triple Solid Surface Sinks
Basin Colors	White   Snow   Sea Shell   Alluvium   Sand Storm   Highcliffe   Frost	Snow   Sea Shell   Alluvium   Sand Storm   Highcliffe   Frost	White   Snow   Sea Shell   Alluvium   Sand Storm   Highcliffe   Frost
Faucet Models	Serio   Fulmer   Camaya   Cumberland	Nachi (wall mount)	Serio   Fulmer   Camaya   Cumberland
Soap Dispenser	Matching Faucet Model Left or Right   No Soap Dispenser	Matching Faucet Model Left or Right   No Soap Dispenser	Matching Faucet Model Left or Right   No Soap Dispenser
Faucet Finish	Chrome   Brushed Nickel	Chrome   Brushed Nickel	Chrome   Brushed Nickel
Other Components	Matching Grid Drain, Drain Adapter Assembly, Mounting Assembly, P-Trap Assembly, Tailpiece, Lavatory Supply, Shroud	Matching Grid Drain, Drain Adapter Assembly, Mounting Assembly, P-Trap Assembly, Tailpiece, Lavatory Supply, Shroud	Matching Grid Drain, Drain Adapter Assembly, Mounting Assembly, P-Trap Assembly, Tailpiece, Lavatory Supply, Shroud

Visit [Zurn.com](https://www.zurn.com) to digitally specify your custom Sundara handwashing system

# design & specify

## Sundara handwashing system



SUNDARA HANDWASHING SYSTEM	Z5004 Sundara Surf Handwashing System	Z5005 Sundara Inlet Handwashing System
Basin Quantity	Single   Double   Triple Solid Surface Sinks	Single   Double   Triple Solid Surface Sinks
Basin or Plenum Colors	White   Snow   Sea Shell   Alluvium   Sand Storm   Highcliffe   Frost	White   Snow   Sea Shell   Alluvium   Sand Storm   Highcliffe   Frost
Faucet Models	Serio   Fulmer   Camaya   Cumberland	Serio   Fulmer   Camaya   Cumberland
Soap Dispenser	Matching Faucet Model Left or Right   No Soap Dispenser	Matching Faucet Model Left or Right   No Soap Dispenser
Faucet Finish	Chrome   Brushed Nickel	Chrome   Brushed Nickel
Other Components	Matching Grid Drain, Drain Adapter Assembly, Mounting Assembly, P-Trap Assembly, Tailpiece, Lavatory Supply, Shroud	Matching Grid Drain, Drain Adapter Assembly, Mounting Assembly, P-Trap Assembly, Tailpiece, Lavatory Supply, Shroud

Visit [Zurn.com](https://www.zurn.com) to digitally specify your custom Sundara handwashing system



past launches

EZ Gear Driven & Architectural Sensor Faucets





# past launches faucets

## EZ Gear-Driven Sensor Faucets

- **Reliability**
  - **Extends** the life of sensor faucets by eliminating solenoids, old compression sealing technology
  - **Minimizes** the amount of moving parts in direct contact with the water path
  - **Eliminates** water hammer for less wear on the faucet and your entire water line system
  - **Withstands** over 1,000,000 cycle tests thanks to AquaSpec® ceramic disc technology – backed with a limited lifetime warranty.
- **Precision**
  - Ergonomically designed for precise sensor detection for an intuitive user experience
- **Efficiency**
  - Available in low flow rates achieving EPA WaterSense compliance

### Key Features

- hardwire power only -ACA or -HW6
- polished chrome & brush nickel finishes
- black/ brown out protection - 30 sec timeout
- lead- free compliant




*Launch kits available early August  
Price sheet, sell sheets, trifold brochure, display stand,  
sample faucets & soap dispensers*



Camaya Series Z6953-XL-CV



Cumberland Series Z6956-XL-CV




New product brochure available on ZIX



| past launches  
faucets

| EZ Gear-Driven Sensor Faucets



## LASTING PERFORMANCE

Automatic micro-swipe of ceramic disc every 12 hours removing potential debris build-up extends the life of the ceramic disc for up to 20+ years of trouble-free operation.



## PRECISE TECHNOLOGY


Tested and proven, the motor-gear operation provides a soft close, ultimately delivering an effortless, quiet water flow.






# past launches print collateral

FINISH PLUMBING




### Cumberland Series™ Sensor Faucet

Motor Gear-Driven Ceramic Operation



No touch. No fuss. Our line of gear-driven sensor faucets delivers precision, reliability and efficiency to your commercial restroom. Thanks to dual-action effect of the AquaSpec® ceramic disc cartridge and motor gear-driven operation, Cumberland outperforms and outlasts other faucets. It intuitively senses the user without delay, too much force, or wasting water.



Aesthetics aren't overshadowed by the performance. The sleek, polished shine appeals to modern restroom environments. Designers can breathe new life into a space that is often high traffic and highly utilitarian.

FINISH PLUMBING



### Camaya Series™ Sensor Faucet

Motor Gear-Driven Ceramic Operation



No touch. No fuss. Our line of gear-driven sensor faucets delivers precision, reliability and efficiency to your commercial restroom. Thanks to dual-action effect of the AquaSpec® ceramic disc cartridge and motor gear-driven operation, Camaya outperforms and outlasts other faucets. It intuitively senses the user without delay, too much force, or wasting water.

**Precise**

Timing is everything when it comes to an intuitive user experience. Meticulously designed and positioned for precise sensor detection, Camaya activates water when the user is ready without delay. The motor gear-driven ceramic platform delivers a soft close operation for an effortless, quiet flow.

**Reliable**

Engineered with our proven Zurn AquaSpec® ceramic disc technology, the Camaya withstands 1,000,000 lifecycle tests...and counting. It's also backed by our limited warranty. Compared to traditional solenoid faucets, the motor gear-driven platform eliminates old compression sealing technology. There are fewer moving parts to disrupt the water pathway and less wear on the faucet – all adding up to a longer lifespan.

**Efficient**

Eco-friendly can be user friendly. Camaya meets lead-free compliance, making it a safe choice for users and the environment. It also reduces water use and costs.

**Touchless With More Precision, Reliability and Efficiency**



Aesthetics aren't overshadowed by the performance. The sleek, polished shine appeals to modern restroom environments. Designers can breathe new life into a space that is often high traffic and highly utilitarian.




## SENSOR FAUCETS

Let Inspiration Flow Into Your Designs



### IT JUST TAKES INSPIRATION

Let a look transform your customers' environments. Find selection from our line of Zurn Sensor Faucets.



Brochure  
Coming Soon!




Now that you're inspired, start specifying your solution today at [inspec.zurn.com](https://inspec.zurn.com).




### Motor Gear-Driven Ceramic Faucets

List Pricing Sheet




Zurn Motor Gear-Driven Ceramic Sensor Faucets deliver precision, reliability and efficiency to your commercial restroom. Thanks to dual-action effect of the AquaSpec® ceramic disc cartridge and motor gear-driven operation, these faucets outperform and outlast other faucets. They intuitively sense the user without delay, too much force, or wasting water.


PART NUMBER	DESCRIPTION	LIST PRICE
MOTOR GEAR-DRIVEN CERAMIC SENSOR FAUCETS		
Z6953-XL-CV	Camaya Series Sensor Faucet with Ceramic Valve (Brushed Chrome)	\$1,985.00
Z6953-XL-CV-BN	Camaya Series Sensor Faucet with Ceramic Valve (Brushed Nickel)	\$1,985.00
Z6956-XL-CV	Cumberland Series Sensor Faucet with Ceramic Valve (Brushed Chrome)	\$895.00
Z6956-XL-CV-BN	Cumberland Series Sensor Faucet with Ceramic Valve (Brushed Nickel)	\$895.00




Z6953-XL-CV



Z6953-XL-CV-BN




Z6956-XL-CV



Z6956-XL-CV-BN


ZURN INDUSTRIES, LLC Finish Plumbing Division  
5900 Elmwood Avenue, Sanford, NC 27330, 919.443.9876  
In Canada: ZURN INDUSTRIES LIMITED 7900 Goreway Drive, Unit 10, Brampton, Ontario L6Y 5M6, 905.872.5216  
Form No. Z69-001 12/18

WE LIVE ZURN. ZURN CANADA 1.877.474.2318 ZURN.COM



### Z6953-XL-CV

Deck-Mounted Sensor Faucet with Ceramic Valve



**Product Description**  
Designed for modern commercial restrooms, the Camaya Series™ faucet delivers a superior user experience in both form and function. Crafted by world-class industrial designers, this faucet maintains a sleek and simple design that can be paired with a matching soap dispenser for an automatic, easy to install and user-friendly handwashing solution.

**Engineering Specification**  
ADA compliant, AC powered, chrome plated sensor faucet for retrofit and new construction.

**Product features include:**

- Occupant Detection
- Infrared convergence-type proximity sensor
- 30 second time-out feature
- Spout module
- Standard chrome-plated cast brass
- Three alternate finishes
- Long life motor driven ceramic valve

**Flow Control Options:**

- -ES\* 1.5 gpm/5.7 Lpm Aerator
- -FS 0.5 gpm/1.9 Lpm Spray
- -JS\* 1.5 gpm/5.7 Lpm Laminar
- -LS\* 1.0 gpm/3.8 Lpm Aerator
- -MS 0.35 gpm/1.3 Lpm Spray

**Options:**

- Cover Plate 4" Centers
- Cover Plate 8" Centers
- Mixing Tee
- Temperature Mixing Valve
- Supply Hoses for Mixing Valve
- Thermosatic Mixing valve for Multiple Faucets
- Thermosatic Mixing valve for Single Faucets

**Finishes:**


- Brushed Nickel
- Polished Nickel
- Polished Brass

**ct should be used with a WaterSense labeled t with a compatible flow rate to ensure that the sm meets the requirements for water efficiency nance.**

**Architectural/Engineering Approval**


ation contained in this document is subject to change without notice. Please contact Zurn for most up to date information.

Rev. 1/15/2019  
C.N. No. 317530  
Prod. | Dwg. No. 317530



### Z6956-XL-CV

Deck-Mounted Sensor Faucet with Ceramic Valve



**Product Description**  
Designed for modern commercial restrooms, the Cumberland Series™ faucet delivers a superior user experience in both form and function. Crafted by world-class industrial designers, this faucet maintains a sleek and simple design that can be paired with a matching soap dispenser for an automatic, easy to install and user-friendly handwashing solution.

**Engineering Specification**  
ADA compliant, AC powered, chrome plated sensor faucet for retrofit and new construction.

**Product features include:**

- Occupant Detection
- Infrared convergence-type proximity sensor
- 30 second time-out feature
- Spout module
- Standard chrome-plated cast brass
- Three alternate finishes
- Long life motor driven ceramic valve

**Compatibility**  
Soap Dispenser:

**Suffix Options:**

- -CP4 Cover Plate 4" Centers
- -CP8 Cover Plate 8" Centers
- -MT Mixing Tee
- -MV Temperature Mixing Valve
- -SH Supply Hoses for Mixing Valve
- -TMV Thermosatic Mixing valve for Multiple Faucets
- -TMV-1 Thermosatic Mixing valve for Single Faucets
- -Other

**Power Options:**

- -ACA 7.5 VDC Plug-In Power Converter
- -HW6 Hardwired Power Converter
- -CWB Corridor Wire for Hardwire Install (7 ft)
- -CWB-1 Corridor Wire for Hardwire Install (20 ft)
- -MJ Mini Junction Box

**Alternate Finishes:**

- -BN Brushed Nickel
- -PN Polished Nickel
- -PB Polished Brass

**\* This product should be used with a WaterSense labeled counterpart with a compatible flow rate to ensure that the entire system meets the requirements for water efficiency and performance.**

**Architectural/Engineering Approval**

The information contained in this document is subject to change without notice. Please contact Zurn for most up to date information.

Zurn Industries, LLC  
511 West Freshwater Way, Milwaukee, WI U.S.A. 53204 - Ph. 1-800-997-3876, Fax 919-775-3541  
In Canada | Zurn Industries Limited  
7900 Goreway Drive Unit 10, Brampton, Ontario L6Y5W6 - Ph. 905-405-5272, Fax 905-405-1292  
[www.zurn.com](https://www.zurn.com)

Rev. 1/15/2019  
C.N. No. 317532  
Prod. | Dwg. No. 317532

Sell Sheets  
also available on ZIX with  
fulfillment through Delzer

Spec Sheets

page  
022

# features & benefits

## architectural faucets options

### Z6953 & Z6956 Series

- Available in traditional solenoid (battery/plug/HW) or EZ Gear driven technology in hardwired
- Available as connected when specified with EZ Gear

ex.) Z6953-XL-**CV**-F-W1

**-CV** for EZ Gear Driven  
**-W1** for Connected

- Convert to EZ Gear HW for 15% commission



Minimalism doesn't scale back in output. Camaya appeals to the modern eye without losing its luster or performance, wash after wash.



Z6953-XL-CV  
Camaya Series® EZ Gear-Driven Sensor Faucet

Z6953-SD  
Camaya Series Sensor Soap Dispenser

Polished Chrome

Brushed Nickel

Cumberland rounds off your checklist when it comes to safety and efficiency. Its smooth curves and EZ Gear Technology provide looks and performance that last.



Z6956-XL  
Cumberland Series EZ Gear-Driven Sensor Faucet

Z6956-SD  
Cumberland Series Sensor Soap Dispenser

Polished Chrome

Brushed Nickel





# features & benefits architectural faucets

## Z6957 Nachi Wall Mounted Series

- Shipped w/ battery & plug in options standard
- Matching Soap Dispenser - Plug-in Only
- Available in Polished Chrome or Brushed Ni



Refine your restroom with Nachi. The wall-mount design commands the space without monopolizing it. It's easy on the eyes and even easier to maintain.



Polished Chrome

Brushed Nickel

Z6957-XL

Nachi Series® Sensor Faucet

Z6957-SD

Nachi Series Sensor Soap Dispenser

# features & benefits architectural faucets

## Z6951 Fulmer AquaFit Series

- **All Features of Z6950 Series AquaFit**  
Standard, Plug-in, HW or Long life  
Sensor range adjustability  
Time out features, metering & purge modes
- **Matching Soap Dispenser**  
Top Refill  
Battery or Plug-in
- **Available in Polished Chrome or Brushed Ni**



Breathe life into a space that is often high traffic and highly utilitarian. Fulmer won't fade into the background or over time. It's tough, yet beautifully timeless.



Z6951-XL AQUA-FIT®

Fulmer Series® Sensor Faucet

Z6951-SD

Fulmer Series Sensor Soap Dispenser

Polished Chrome

Brushed Nickel



present launches

July 2019


Connected Sensor Faucets & Flush Valves





# past launches connected products

## Connected Flood Control System (FCIS)



- ✓ All features of backflow preventer (relief valve discharge detection and alerts)
- ✓ Automatic shutoff of water supply based on preset/customizable parameters

## Connected Faucets



- ✓ Faucet usage metrics
- ✓ Water consumption metrics
- ✓ Preventative maintenance alerts

## Connected Flush Valves



- ✓ Fixture usage metrics
- ✓ Water consumption metrics
- ✓ Preventative maintenance alerts

For more information visit <https://www.zurn.com/know-more>



[Ryan Langan](#) - Director of Sales, Connected Products



# past launches connected products

## Connected Flush Valves



### PRECISION

Sensor flush valve accurately delivers hands-free operation to reduce germ transfer and enhance the user experience



### DEPENDABLE

Clog-resistant triple filter diaphragm, chemical-resistant gaskets, and seals extend service life and reduce maintenance costs



### INSTANT ANALYTICS

Wireless monitoring technology tracks data around set parameters for usage, water consumption, and preventative maintenance

## additional features

- Water conserving options with [LEED flow rates](#)
- Heavy-duty cast brass body with chrome finish
- ADA compliant



### Connected

ZEMS Hardwired Sensor Flush Valve  
for 3.5 gpf – 1.1 gpf Water Closets  
ZEMS6000AV-MOB-W1



### Connected

ZEMS Hardwired Sensor Flush Valve  
for 0.125 gpf -1.5 gpf Urinals  
ZEMS6003AV-MOB-W1



# past launches

## connected flush valves

1

### sensors capture and send data to cloud

flush valve transmits actuation data wirelessly to the Zurn cloud via Zurn gateway

2

### data analyzed for alerts and insights

flush valve data is then computed in real-time to determine:

1. flush count
2. water usage volume
3. diaphragm replacement alerts for preventative

3

### alerts sent via web/email/text

if any of these computed results surpasses a **threshold for warnings and then severe alerts**, they are displayed immediately on plumbSMART™ and notifications are sent to the building owner/facility manager via email/text based on severity with link back to plumbSMART™

4

### 24/7 access to product info and trends

plumbSMART™ allows customers to view current product status, adjust their alert settings and view historic data trends from any location with an internet connection



### IMPORTANT NOTE:

Connected technology/electronics DOES NOT CHANGE OR AFFECT the regular functions of the flush valve in any way. Only senses for changes.




# past launches connected products

## Connected Faucets



### PRECISION

Concealed sensor lens accurately delivers hands-free operation to reduce germ transfer and enhance the user experience



### FEATURE FLEXIBILITY

Timeouts, line purge, sensor range and metering mode offer custom control to meet the varying demands of restroom environments



### INSTANT ANALYTICS

Wireless monitoring technology tracks data around set parameters for usage, water consumption, and preventative maintenance

## additional features

- Water conserving options with [LEED flow rates of 0.5/0.35 gpm](#)
- Heavy-duty cast brass body with chrome finish
- ADA compliant




**Connected**  
Aqua-FIT® Serio Series™  
Hardwired Sensor Faucet  
Z6950-XL-S-W1



**Connected**  
Aqua-FIT® Serio Series™  
Hardwired Sensor Faucet  
Z6955-XL-S-W1



**Connected**  
Z6953 Camaya Series™  
EZ Gear Driven  
Hardwired Sensor Faucet  
Z6953-XL-CV-W1



**Connected**  
Z6956 Cumberland Series™  
EZ Gear Driven  
Hardwired Sensor Faucet  
Z6956-XL-CV-W1



real-time alerts

preventative maintenance insights

historic data/trends

dashboard-style view of enterprise

organized by building and campus

customizable alert parameters

opt-in/out of email and mobile alerts

add/assign sub-users

**PLUMBSMART™ ACCESS IS BY INVITATION ONLY;**  
USERS MUST BE AUTHORIZED AND VALIDATED

**AUTHENTICATION IS SECURED**  
BY MICROSOFT AZURE ENCRYPTON PROTOCOLS

**USER PRIVILEGES CAN BE LIMITED**  
TO SPECIFIC ROLES, LOCATIONS & PRODUCTS

[Step-by-step PlumbSMART™ instructions in less than 15 minutes!](#)






present launches

July 2019

Zurn One Systems - Relaunch





# Paired Performance

## Zurn One Systems re-launch

### Key Features & Benefits

- Streamlined Offering:**  
Top selling water closets, urinals & sinks paired w/flush valves, faucets & accessories for a complete system / single shipment
- Smarter Numbering:**  
Single model number with less characters & shorter descriptions for **easy specification and ordering**.  
Old Number: **Z5615.043.01.12.0**  
New Number: **Z.WC1.M**
- Recommended InSPEC Systems – Improving ease of specification**
- Increased Service Levels:**  
Top 48 SKU's shipping < 5 days
- Other Improvements:**  
Labeling & packaging to save contractors/wholesaler time  
Buy America Act Compliance listed on spec sheet & final labeling  
Complete list of components inside  
Aggressive System Pricing – reverse fixtures only trend  
Phase II – Bulk pack options for larger jobs



**Model: Z.WC1M**

1.1 GPF Elongated Wall Hung EcoVantage®  
Manual Flush Valve Zurn One Toilet System

TAG \_\_\_\_\_


#### Engineering Specification:

Complete EcoVantage® high efficiency 1.1 gpf manual actuated wall mounted commercial water closet system with Z6000AV-ONE exposed, manually activated chrome plated closet diaphragm flushometer for either left or right hand supply, Z5955SS-EL open front commercial toilet seat and Z5615-BWL ADA compliant wall mounted vitreous china water closet with Z5977-NEO NeoSeal outlet gasket assembly kit manufactured by Zurn Industries.

#### Product Features:

- 1.1 gpf (gallons per flush)
- Wall mounted elongated front rim top spud toilet
- High efficiency siphon [jet flush action]
- 2-1/8" fully glazed trapway
- Large water spot - 12" x 10"
- Vitreous china wall bowl construction
- static weight load of 1000 lb"
- Diaphragm- type flushometer complete with Zurn's Go Blue® TPE, chloramine resistant, dual seal diaphragm with a clog resistant filtered by-pass.
- ADA compliant, non-hold open, dual seal handle
- High pressure vacuum breaker
- Adjustable tailpiece
- Control stop with internal siphon guard protection, vandal resistant cap, sweat solder kit and cast wall flange with set screw
- Open front, elongated, white commercial toilet seat with SS check hinges
- NeoSeal® outlet gasket assembly
- 14% water savings over standard 1.28 gpf system
- 31% water savings over standard 1.6 gpf system

#### Compliance and Certification:



This Zurn One System complies with Buy American Act when purchased as complete system.

Meets the American Disabilities Guidelines and ANSI A117.1 requirements when installed according to these requirements. Fixture dimensions meet ANSI/ASME standard A112.19.2 and CAN/CSA B45 requirements.

In Canada - Consult local codes and standards.

EcoVantage® is a registered trademark of Zurn Industries, LLC.

Zurn Industries, LLC  
5900 Edwin Buchanan Drive, Sanford, NC, U.S.A. 27330 • Ph. 1-800-997-3676, Fax 919-775-3541  
In Canada | Zurn Industries Limited  
7500 Goreway Drive Unit 10, Brampton, Ontario L6T5M6 • Ph. 905-405-8272, Fax 905-405-1232  
[www.zurn.com](http://www.zurn.com)



#### Suffix Options:

- ☐ -RF Retro-Fit Nut Kit for extending carrier studs from existing wall.

#### Recommended Carrier:

- ☐ Z1201 or Z1202 EZ Carry™ 500 lbs load rated High Efficiency Carrier

#### System Includes:

**Z6000AV-ONE:**  
1.1 gpf exposed diaphragm type manually operated flush valve

**Z5615-BWL:**  
1.1 gpf wall mounted top spud toilet

**Z5955SS-EL:**  
Elongated, open front white toilet seat with stainless steel check hinges

**Z5977-NEO:**  
NeoSeal® gasket kit for wall mounted bowls

Architectural/Engineering Approval

The information contained in this document is subject to change without notice.  
Please contact Zurn for most up to date information.

Rev. -  
Date: 5/22/2017  
C.N. No. 8AND07586  
Prod. | Dwg. No. 316663



# Paired Performance

## Zurn One Systems re-launch

### TOILET SYSTEMS



**ZWC1S.TM**  
**Sensor Wall Bowl System**  
Z5615 EcoVantage elongated, wall-hung vitreous water closet with battery-powered 1.1 gpf ZER6000AV-ONE-TM EZ Gear-Driven flush valve

**ZWC2S.TM**  
**Sensor Wall Bowl System**  
Z5615 EcoVantage elongated, wall-hung vitreous water closet with battery-powered 1.28 gpf ZER6000AV-HET-TM top flush valve



**ZWC1S**  
**Sensor Wall Bowl System**  
Z5615 EcoVantage elongated, wall-hung vitreous water closet with battery-powered 1.1 gpf ZER6000AV-ONE-CPM side sensor flush valve

**ZWC2S**  
**Sensor Wall Bowl System**  
Z5615 EcoVantage elongated, wall-hung vitreous water closet with battery-powered 1.28 gpf ZER6000AV-HET-CPM side sensor flush valve



**ZWC1M**  
**Manual Wall Bowl System**  
Z5615 EcoVantage elongated, wall-hung vitreous water closet with manual 1.1 gpf Z6000AV-ONE flush valve

**ZWC2M**  
**Manual Wall Bowl System**  
Z5615 EcoVantage elongated, wall-hung vitreous water closet with manual 1.28 gpf Z6000AV-HET flush valve

System comes complete with the following components.

-RF	Reinfit nut kit for extending carrier studs from existing wall
Z5955SS-EL	Elongated, standard white, open front toilet seat less cover with stainless steel check hinge
Z5977-NEO	Neo-seal gasket kit for wall-mounted bowls

### TOILET SYSTEMS



**ZWC3S.TM**  
**Sensor Floor-Mount Closet System**  
Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with battery-powered 1.1 gpf ZER6000AV-ONE-TM EZ Gear-Driven flush valve

**ZWC4S.TM**  
**Sensor Floor-Mount Closet System**  
Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with battery-powered 1.28 gpf ZER6000AV-HET-TM EZ Gear-Driven flush valve



**ZWC3S**  
**Sensor Floor-Mount Closet System**  
Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with battery-powered 1.1 gpf ZER6000AV-ONE-CPM flush valve

**ZWC4S**  
**Sensor Floor-Mount Closet System**  
Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with battery-powered 1.28 gpf ZER6000AV-HET-CPM flush valve



**ZWC3M**  
**Manual Floor-Mount Closet System**  
Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with manual 1.1 gpf Z6000AV-ONE flush valve

**ZWC4M**  
**Manual Floor-Mount Closet System**  
Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with manual 1.28 gpf Z6000AV-HET flush valve

System comes complete with the following components.

Z5972-COMB	Neo-seal gasket kit for floor-mounted bowls
Z5955SS-EL	Elongated, standard white, open front toilet seat less cover with stainless steel check hinge
Recommended Carrier: Z1201 or Z1202 EZCarry® 500 lbs./load rated High Efficiency Carrier	

### URINAL SYSTEMS



**ZZUR1S.TM**  
**Sensor Urinal System**  
Z5755-U EcoVantage® Omni-Flo™ urinal with top spud, battery-powered 0.125 gpf ZER6003AV-ULF-TM EZ Gear-Driven flush valve, universal hanger bracket, urinal flange and dome strainer



**ZUR1S**  
**Sensor Urinal System**  
Z5755-U EcoVantage Omni-Flo urinal with top spud, battery-powered 0.125 gpf ZER6003AV-ULF-CPM side sensor flush valve, universal hanger bracket, urinal flange and dome strainer



**ZUR1M**  
**Manual Urinal System**  
Z5755-U EcoVantage Omni-Flo urinal with top spud, 0.125 gpf Z6003AV-ULF flush valve, universal hanger bracket, urinal flange and dome strainer

### LAVATORY SYSTEMS



**ZL4M**  
**Manual Faucet Lavatory System**  
Z5344 – 20" x 18" wall-hung, concealed carrier arm lavatory includes the lead-free Z812A1-XL-3F AquaSpec polished chrome plated centerset, 3-1/2" gooseneck faucet with lever handles, ceramic disc cartridges, and 0.5 gpm flow control aerator



**ZL3M**  
**Manual Faucet Lavatory System**  
Z5344 – 20" x 18" wall-hung, concealed carrier arm lavatory includes the lead-free Z81104-XL-3M AquaSpec 4" polished chrome plated centerset, deck-mount faucet with 4" wrist black handles, 4" integral spout, ceramic disc cartridges, and 0.5 gpm flow control aerator

System comes complete with the following components.

Z8743-PC	Grid drain
Z8700-BB-PC	1-1/4" cast brass p-trap with cleanout
Z8804-XL-LR-LK-PC	Lead-free 1/2" NOM x 3/8" OD supply kit w/ loose key and copper risers



**ZL3S**  
**Sensor Faucet Lavatory System**  
Z5341 – 20" x 18" wall-hung, single hole, concealed carrier arm lavatory includes the lead-free Z6950-XL-S-F Aqua-FIT® Serio Series® polished chrome plated, battery-powered sensor faucet with 0.5 gpm non-aerated flow control



**ZL2S**  
**Sensor Faucet Lavatory System**  
Z5341 – 20" x 18" wall-hung, single hole, concealed carrier arm lavatory includes the lead-free Z6956-XL-CV-FS Cumberland Series® polished chrome plated, battery-powered sensor faucet with 0.5 gpm non-aerated flow control

System comes complete with the following components.

P6900-TMV-I-XL	Thermostatic mixing valve
----------------	---------------------------

# Paired Performance

## Zurn One Systems re-launch

### Wall Mounted FV Water Closet Systems

#### Fixture

Z5615 Wall Bowl

#### Flush Valve Options:

Top Mount EZ Gear Sensor - ZER6000AV-**TM**

Side Mount - ZER6000AV-CPM

Manual - Z6000AV

#### Flow Volumes

1.1 or 1.28 GPF

#### Trim

Seat – Z5955SS-EL

Retrofit nuts

NeoSeal gasket



### TOILET SYSTEMS



#### **Z.WC1.S.TM**

##### **Sensor Wall Bowl System**

Z5615 EcoVantage elongated, wall-hung vitreous water closet with battery-powered 1.1 gpf  
ZER6000AV-ONE-TM EZ Gear-Driven flush valve



#### **Z.WC2.S.TM**

##### **Sensor Wall Bowl System**

Z5615 EcoVantage elongated, wall-hung vitreous water closet with battery-powered 1.28 gpf  
ZER6000AV-HET-TM top flush valve



#### **Z.WC1.S**

##### **Sensor Wall Bowl System**

Z5615 EcoVantage elongated, wall-hung vitreous water closet with battery-powered 1.1 gpf  
ZER6000AV-ONE-CPM side sensor flush valve

#### **Z.WC2.S**

##### **Sensor Wall Bowl System**

Z5615 EcoVantage elongated, wall-hung vitreous water closet with battery-powered 1.28 gpf  
ZER6000AV-HET-CPM side sensor flush valve

#### **Z.WC1.M**

##### **Manual Wall Bowl System**

Z5615 EcoVantage elongated, wall-hung vitreous water closet with manual 1.1 gpf  
Z6000AV-ONE flush valve

#### **Z.WC2.M**

##### **Manual Wall Bowl System**

Z5615 EcoVantage elongated, wall-hung vitreous water closet with manual 1.28 gpf  
Z6000AV-HET flush valve

System comes complete with the following components.

-RF	Retrofit nut kit for extending carrier studs from existing wall
Z5955SS-EL	Elongated, standard white, open front toilet seat less cover with stainless steel check hinge
Z5977-NEO	Neo-seal gasket kit for wall-mounted bowls



# Paired Performance

## Zurn One Systems re-launch

### Floor Mounted FV WC Systems

#### Fixture

Z5655 / Z5665 / Z5654 Floor Bowls

#### Flush Valve Options:

Top Mount EZ Gear Sensor – ZER6000AV-TM

Side Mount - ZER6000AV-CPM

Manual - Z6000AV

#### Flow Volumes

1.1 or 1.28 GPF

#### Trim

Seat – Z5955SS-EL

Bolt / Washer Combo - Z5972-COMB



Z.WC3.S.TM

#### Sensor Floor-Mount Closet System

Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with battery-powered 1.1 gpf ZER6000AV-ONE-TM EZ Gear-Driven flush valve



Z.WC4.S.TM

#### Sensor Floor-Mount Closet System

Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with battery-powered 1.28 gpf ZER6000AV-HET-TM EZ Gear-Driven flush valve



Z.WC3.S

#### Sensor Floor-Mount Closet System

Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with battery-powered 1.1 gpf ZER6000AV-ONE-CPM flush valve

Z.WC4.S

#### Sensor Floor-Mount Closet System

Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with battery-powered 1.28 gpf ZER6000AV-HET-CPM flush valve

Z.WC3.M

#### Manual Floor-Mount Closet System

Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with manual 1.1 gpf Z6000AV-ONE flush valve

Z.WC4.M

#### Manual Floor-Mount Closet System

Z5655-BWL EcoVantage elongated, floor-mounted vitreous water closet with manual 1.28 gpf Z6000AV-HET flush valve



Z.WC3.AS.TM

#### Sensor Floor-Mount, ADA Closet System

Z5665-BWL EcoVantage elongated, ADA floor-mounted vitreous water closet with battery-powered 1.1 gpf ZER6000AV-ONE-TM EZ Gear-Driven flush valve



Z.WC3.AS.TM

#### Sensor Floor-Mount, ADA Closet System

Z5665-BWL EcoVantage elongated, ADA floor-mounted vitreous water closet with battery-powered 1.28 gpf ZER6000AV-HET-TM EZ Gear-Driven flush valve

Z.WC5.S.TM

#### Sensor Floor-Mount Closet System

Z5654-BWL - 14" height EcoVantage elongated, floor-mounted vitreous water closet with battery-powered 1.28 gpf ZER6000AV-HET-TM EZ Gear-Driven flush valve



Z.WC3.AS

#### Sensor Floor-Mount, ADA Closet System

Z5665-BWL EcoVantage elongated, ADA floor-mounted vitreous water closet with battery-powered 1.1 gpf ZER6000AV-ONE-CPM flush valve

Z.WC5.S

#### Sensor Floor-Mount Closet System

Z5654-BWL - 14" height EcoVantage elongated, floor-mounted vitreous water closet with battery-powered 1.28 gpf ZER6000AV-HET-CPM flush valve

Z.WC3.AM

#### Manual Floor-Mount, ADA Closet System

Z5665-BWL EcoVantage elongated, ADA floor-mounted vitreous water closet with manual 1.1 gpf Z6000AV-ONE flush valve

Z.WC5.M

#### Manual Floor-Mount Closet System

Z5654-BWL - 14" height EcoVantage elongated, floor-mounted vitreous water closet with manual 1.28 gpf Z6000AV-HET flush valve.

System comes complete with the following components.

Z5972-COMB	Neo-seal gasket kit for floor-mounted bowls
Z5955SS-EL	Elongated, standard white, open front toilet seat less cover with stainless steel check hinge

Recommended Carrier: Z1201 or Z1202 EZCarry® 500 lbs load rated High Efficiency Carrier

# Paired Performance

## Zurn One Systems re-launch

### Urinal Flush Valve Systems

#### Fixture

Z5755 Omni Flow Urinal

#### Flush Valve Options:

Top Mount EZ Gear Sensor

Side Mount EZ Flush

Manual AV

#### Flow Volumes

0.125 or 0.5 GPF

#### Trim

None – Univ. Mounting Bracket



**ZZ.UR1.S.TM**

#### **Sensor Urinal System**

Z5755-U EcoVantage®  
Omni-Flo™ urinal with top  
spud, battery-powered  
0.125 gpf ZER6003AV-ULF-TM  
EZ Gear-Driven flush valve,  
universal hanger bracket, urinal  
flange and dome strainer



**Z.UR2.S.TM**

#### **Sensor Urinal System**

Z5755-U EcoVantage  
Omni-Flo urinal with top  
spud, battery-powered  
0.5 gpf ZER6003AV-EWS-TM  
EZ Gear-Driven flush valve,  
universal hanger bracket, urinal  
flange and dome strainer

**Z.UR1.S**

#### **Sensor Urinal System**

Z5755-U EcoVantage  
Omni-Flo urinal with top spud,  
battery-powered 0.125 gpf  
ZER6003AV-ULF-CPM side  
sensor flush valve, universal  
hanger bracket, urinal flange and  
dome strainer

**Z.UR2.S**

#### **Sensor Urinal System**

Z5755-U EcoVantage  
Omni-Flo urinal with top spud,  
battery-powered 0.5 gpf  
ZER6003AV-EWS-CPM side  
sensor flush valve, universal  
hanger bracket, urinal flange and  
dome strainer



**Z.UR1.M**

#### **Manual Urinal System**

Z5755-U EcoVantage  
Omni-Flo urinal with top spud,  
0.125 gpf Z6003AV-ULF flush  
valve, universal hanger bracket,  
urinal flange and dome strainer

**Z.UR2.M**

#### **Manual Urinal System**

Z5755-U EcoVantage Omni-Flo  
urinal with top spud, 0.5 gpf  
Z6003AV-EWS flush valve,  
universal hanger bracket, urinal  
flange and dome strainer

Recommended Carriers: Z1221, Z1222





# Paired Performance

## Zurn One Systems re-launch

### Manual Lavatory Systems

#### Fixture

Z5344 / Z5844

#### Faucet Options:

Z81000, Z7440, Z81104

Z812A1, Z812B1, Z86500 Series

#### Trim

Grid Drain – Z8743-PC

P Trap – Z8700-8B-PC

Supply Stop – Z8804-XL-LRLK-PC



**Z.L1.M**

#### Manual Faucet Lavatory System

Z5344 – 20" x 18" wall-hung, concealed carrier arm lavatory includes the lead-free Z7440-XL-FC AquaSpec® polished chrome plated centerset, deck-mount single control faucet with 5" integral spout, ceramic disc cartridge, temperature limit stop, lever control, 0.5 gpm flow control aerator



**Z.L2.M**

#### Manual Faucet Lavatory System

Z5344 – 20" x 18" wall-hung, concealed carrier arm lavatory includes the lead-free Z81000-XL-3M AquaSpec polished chrome plated centerset, deck-mount single control faucet with 5" integral spout, ceramic disc cartridge, temperature limit stop, lever control, 0.5 gpm flow control aerator



**Z.L3.M**

#### Manual Faucet Lavatory System

Z5344 – 20" x 18" wall-hung, concealed carrier arm lavatory includes the lead-free Z81104-XL-3M AquaSpec 4" polished chrome plated centerset, deck-mount faucet with 4" wrist black handles, 4" integral spout, ceramic disc cartridges, and 0.5 gpm flow control aerator



**Z.L4.M**

#### Manual Faucet Lavatory System

Z5344 – 20" x 18" wall-hung, concealed carrier arm lavatory includes the lead-free Z812A1-XL-3F AquaSpec polished chrome plated centerset, 3-1/2" gooseneck faucet with lever handles, ceramic disc cartridges, and 0.5 gpm flow control aerator



**Z.L6.M**

#### Manual Faucet Lavatory System

Z5344 – 20" x 18" wall-hung, concealed carrier arm lavatory includes the lead-free Z812B1-XL-3F AquaSpec polished chrome plated centerset, 5-3/8" gooseneck faucet with lever handles, ceramic disc cartridges, and 0.5 gpm flow control aerator



**Z.L7.M**

#### Manual Faucet Lavatory System

Z5844 – 20" x 18" cast iron wall-hung lavatory includes the lead-free Z86500-XL AquaSpec polished chrome plated, 4" centerset slow closing metering faucet with 0.5 gpm maximum water conserving spray outlet

System comes complete with the following components.

Z8743-PC	Grid drain
Z8700-8B-PC	1-1/4" cast brass p-trap with cleanout

Z8804-XL-LR-LK-PC	Lead-free 1/2" NOM x 3/8" OD supply kit w/loose key and copper risers
-------------------	---

Recommended Carriers: Z1224, Z1231



# Paired Performance

## Zurn One Systems re-launch

### Sensor Lavatory Systems

#### Fixture

Z5341 / Z5344 / Z5844

#### Faucet Options:

Z6950, Z6951, Z6955

Z6915, Z6920 & Z6956 Series

#### Trim

Grid Drain – Z8743-PC

P Trap – Z8700-8B-PC

Supply Stop – Z8804-XL-LRLK-PC

TMV – P6900-TMV-1-XL



#### Z.L1.S

##### Sensor Faucet Lavatory System

Z5341 – 20" x 18" wall-hung, single hole, concealed carrier arm lavatory includes the lead-free Z6920-XL-F AquaSense® polished chrome plated, gooseneck battery-powered sensor faucet with 0.5 gpm non-aerated flow control



#### Z.L2.S

##### Sensor Faucet Lavatory System

Z5341 – 20" x 18" wall-hung, single hole, concealed carrier arm lavatory includes the lead-free Z6956-XL-CV-FS Cumberland Series® polished chrome plated, battery-powered sensor faucet with 0.5 gpm non-aerated flow control



#### Z.L3.S

##### Sensor Faucet Lavatory System

Z5341 – 20" x 18" wall-hung, single hole, concealed carrier arm lavatory includes the lead-free Z6950-XL-S-F Aqua-FIT® Serio Series® polished chrome plated, battery-powered sensor faucet with 0.5 gpm non-aerated flow control



#### Z.L4.S

##### Sensor Faucet Lavatory System

Z5341 – 20" x 18" wall-hung, single hole, concealed carrier arm lavatory includes the lead-free Z6951-XL-F Aqua-FIT Fulmer Series® polished chrome plated, battery-powered sensor faucet with 0.5 gpm non-aerated flow control



#### Z.L6.S

##### Sensor Faucet Lavatory System

Z5344 – 20" x 18" wall-hung, concealed carrier arm lavatory includes the lead-free Z6915-XL-F AquaSense polished chrome plated, center-set battery-powered sensor faucet with 0.5 gpm non-aerated flow control



#### Z.L7.S

##### Sensor Faucet Lavatory System

Z5344 – 20" x 18" wall-hung, concealed carrier arm lavatory includes the lead-free Z6955-XL-S-F Aqua-FIT Serio Series polished chrome plated, 4" base center-set battery-powered sensor faucet with 0.5 gpm non-aerated flow control

System comes complete with the following components.

P6900-TMV-1-XL	Thermostatic mixing valve
Z8743-PC	Grid drain

Z8700-8B-PC	1-1/4" cast brass p-trap with cleanout
Z8804-XL-LR-LK-PC	Lead-free 1/2" NOM x 3/8" OD supply kit w/loose key and copper risers

Recommended Carriers: Z1224, Z1231





# Paired Performance

## Zurn One Systems re-launch

### Clinical Sink Systems

Fixture  
Z5410 or Z5420

Flush Valve Options:  
Z60843AV-BWN  
Z6000AV-BWN1

Trim  
Z5977-NEO  
or Z5972-COMB



**Z.CS2.M**  
**Manual Clinical Sink System**  
Z5410 floor-mounted, siphon jet service sink with antimicrobial glaze with Z60843AV-BWN AquaVantage exposed bedpan washer flush valve with Z842D6-LSI-5XT back-mounted clinical service sink faucet

Recommended Carriers: Z1217-B, Z1218-B



**Z.CS1.M**  
**Manual Clinical Sink System**  
Z5420 floor-mounted, siphon jet service sink with antimicrobial glaze with Z6000AV-BWN1 AquaVantage® exposed bedpan washer flush valve with vandal-proof stop cover, sweat solder kit, cast wall flange, and 34-3/8" rough in

System comes complete with the following components.

Z5977-NEO	Neo-seal gasket kit for wall-mounted bowls
-----------	--

System comes complete with the following components.

Z5972-COMB	Neo-seal gasket kit for floor-mounted bowls
------------	---



An aerial photograph of a rugged coastline. The left side shows a dark, rocky shore with white foam from waves crashing against it. The right side shows the deep blue ocean with white-capped waves rolling in. The text is overlaid on the top left.

future launches  
post-July 2019



# future launches flush valves

## EZ-gear driven sensor flush valves

- **Reliability**

- Motor gear-driven ceramic actuating platform is tested to withstand over 1,000,000 cycle tests – backed with a limited lifetime warranty.

- **Precision**

- Next generation IR sensor delivers precise forward and downward angled sensor range detection for a better gauged flush

- **Efficiency**

- Comes standard AV chemical resistant parts that last 8-10 times longer than traditional rubber components. Zurn diaphragms, gaskets, and seals save building owners maintenance and water cost.

### key features

- Motor gear- driven ceramic operation
- Labor saving- easy access to batteries and controls
- Modern aesthetics – cast brass body
- Waterproof – IP65 compliant



# future launches

## EZ-gear driven sensor FV

### Numbering Convention

- **Complete Valves**

- ZER6000AV-WS1-TM 1.6 Closet
- ZER6000AV-HET-TM 1.28 Closet
- ZER6000AV-ONE-TM 1.1 Closet
- ZER6003AV-ULF-TM 0.125 Pint Urinal
- ZER6003AV-EWS-TM 0.5 Urinal
- ZER6003AV-WS1-TM 1.0 Urinal

- **Universal Retrofit Kits (Zurn Ring w/ Sloan)**

- ZERK-C-WS1-TM
- ZERK-C-HET-TM
- ZERK-C-ONE-TM
- ZERK-U-ULF-TM
- ZERK-U-EWS-TM
- ZERK-U-WS1-TM
  - Optional -S for Sloan ring installed for retrofit



Complete Top Mount  
EZ Gear Driven Sensor FV  
ZER6000AV-HET-TM



Universal Top Mount EZ Gear  
Driven Sensor Retrofit Kit  
ZERK-C-\*-TM  
ZERK-U-\*-TM

\* For flow rate designation



# resources support

## address

---

511 Freshwater Way  
Milwaukee, WI 53204

## phone

---

toll-free 1-855-ONE-ZURN

## online

---

[zurn.com](#)

[Product Pages](#) | [Tools, Specifications, & Resources](#) | [Vertical Market Solutions](#)  
[inSpec](#) | [Manufacturer Cross Reference](#) | [ARCAT](#) | [MasterSpec](#) | [SpecBuilder](#) |  
[Specifiers](#) | [BIM/Revit Files](#)

[zurn.com/resources/product-training](https://www.zurn.com/resources/product-training)

[Zurn Product - Overview](#)

[linkedin/Zurn Industries, LLC](#)

[facebook/Zurn Industries, LLC](#)

[youtube/Zurn](#)

[twitter/ZurnInd](#)

